Page 2

Amendment Case MC060P

In the Claims

Amend the claims as follows:

I (Amended). A compound having the structural formula I:


FORMULA I

or a pharmaceutically acceptable salt thereof, wherein,

X is O or S;

 Y^1 is

- 1) CH2CH2,
- 2) CHCH, or



Y is C(O) or CH(OH);

A and W are independently selected from the group consisting of

- 1) a bond, and
- 2) C 1-6 alkylene, unsubstituted or substituted with 1, 2, 3, or 4 halogen atoms;

Z is

1) 0,

2) S,



- 4) CH₂
- 5) HC=CH,
- 6) C≡C, or
- 7) a disubstituted aryl or heteroaryl ring, wherein one ring atom of the ring is attached to the moiety

Page 3

and another ring atom is attached to the moiety

with the provise that when Z is O or S, then A and W are independently selected from the group consisting of C-1-6 alkylene, unsubstituted or substituted with 1, 2, 3, or 4 halogen

```
<del>atoms:</del>
R<sup>1</sup> is
    COR<sup>5</sup>.
    OH,
    CN.
    (CH_2)_{1-3} CO_2R_6
    (CH2)0-4SO3R6,
    CF2SO2NH2,
    SO2NH2,
    SO2NHCOR8,
    PO(OH)_2,
    C<sub>1-4</sub> alkoxy,
    hydroxymethylketone,
    (CH2)0-4 heterocyclyl, wherein heterocyclyl is unsubstituted or substituted with 1 to 3
        groups of Ra, or
    tetrazole;
\mathbb{R}^2 is
    1) C1-6alkyl, provided that R2 is not n-pentyl or butyl.
    2) (CH<sub>2</sub>)<sub>0-8</sub>C<sub>6-10</sub>aryl,
    3) (CH2)0-8C5-10heteroaryl,
    4) (CH2)0-8C3-10heterocycloalkyl,
    5) (CH<sub>2</sub>)<sub>0-8</sub>C<sub>3-8</sub>cycloalkyl,
    6) O-C1-10alkyl,
    7) O-C<sub>6-10</sub>aryl,
    8) O-C5-10heteroaryl,
    9) O-C5-10heterocycloalkyl,
```

10) O-C3_10cycloalkyl

Page 4

Amendment

Case MC060P

wherein aryl, heteroaryl, heterocycloalkyl, and cycloalkyl are unsubstituted or substituted with 1-3 groups of Rb;

- R³ and R⁴ are independently selected from the group consisting of
 - 1) hydrogen,
 - 2) halogen, and
 - 3) C₁₋₆ alkyl, or

R3 and R4 together with the carbon atom to which they are attached, form a C3.7 cycloalkyl ring;

R⁵ is

- 1) hydrogen,
- 2) QH,
- 3) CH2OH,
- 4) C1-6 alkoxy,
- 5) NHPO2R6,
- 6) NHR⁹,
- 7) NHSO₂R⁸, or
- 8) NR6R7;

R6 and R7 are independently selected from the group consisting of hydrogen and C₁₋₆ alkyl;

R8 is selected from the group consisting of hydrogen, C6-10aryl, and C1-4alkyl;

R⁹ is acyl or sulfonyl; and

Ra and Rb are independently selected from the group consisting of

- 1) C₁-6alkoxy,
- 2) C1-6alkyl, unsubstituted or substituted with
 - a) C1-6 alkoxy,
 - b) C1-6 alkylthio,
 - c) CN,
 - d) OH, or
 - e) CF3,
- 3) CF3,
- 4) nitro,
- 5) amino,
- 6) cyano,
- 7) C1-6alkylamino,
- 8) halogen
- 9) OR¢,

Page 5

- 10) OCH2Rc, and
- 11) CH₂ORc;

Rc is

- 1) C₆₋₁₀aryl,
- 2) C5-10heteroaryl,
- 3) C3.10heterocycloalkyl, or
- 4) C3-8cycloalkyl.

2 (original). A compound of Claim 1, or a pharmaceutically acceptable salt thereof, wherein R2 is


- 1) cyclohexyl,
- 2) unsubstituted aryl, or
- 3) aryl substituted with
 - a) unsubstituted C1-6 alkyl,
 - b) C₁₋₆ alkyl substituted with C₁₋₆ alkoxy
 - c) halogen, or
 - d) CF3.

3 (Original). A compound of Claim 2, or a pharmaceutically acceptable salt thereof, wherein R¹ is tetrazole or COR⁵, wherein R⁵ is CH₂OH or OH.

4(Original). A compound of Claim 3, or a pharmaceutically acceptable salt thereof, wherein A is a bond, (CH2)1-4, or (CH2)1-5CF2, and W is a bond or (CH2)1-6.

5(Amended). A compound of Claim 4, or a pharmaceutically acceptable salt thereof, wherein Z is

- 1) CH2,
- 2) CH=CH,
- 3) C≡C,
- 4) 0,
- 5) S,



7) disubstituted thiophene,

Page 6

- 8) disubstituted furan, or
- 9) disubstituted benzene; and

R³ and R⁴ are independently selected from the group consisting of hydrogen and F, or R³ and R⁴, together with the carbon atom to which they are attached, form a cyclopropyl or cyclohexyl ring.

6 (Original). A compound of Claim 5 selected from the group consisting of

- 7-{4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-thiazolidin-3-yl}heptanoic acid,
- 7-{4-[(1E)-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-thiazolidin-3-yl}heptanoic acid,
- 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-thiazolidin-2-one.
- 4-[(1E)-3-hydroxy-4-phenylbut-1-enyl]-3-[6-(1H-tetraazol-5-yl)bexyl]-1,3-thiazolidin-2-one,
- 4-[(1E)-3-hydroxy-3-(1-phenylcyclopropyl)prop-1-enyl]-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-thiazolidin-2-one,
- 4-(3-hydroxy-4-phenylbutyl)-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-thiazolidin-2-one,
- 4-(4,4-difluoro-3-hydroxy-4-phenylbutyl)-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-thiazolidin-2-one,
- 7-(4-{(1E)-4,4-difluoro-3-hydroxy-4-[3-(methoxymethyl)phenyl]but-1-enyl}-2-oxo-1,3-thiazolidin-3-yl)heptanoic acid,
- 4-{(1E)-4,4-diffuoro-3-hydroxy-4-[3-(methoxymethyl)phenyl]but-1-enyl}-3-[6-(1H-tetraazol-5-vl)hexyl]-1,3-thiazolidin-2-one.
- 4-[(1E)-4-cyclohexyl-4,4-difluoro-3-hydroxybut-1-enyl]-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-thiazolidin-2-one.
- 4-[(1E)-4-cyclohexyl-3-hydroxybut-1-enyl]-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-thiazolidin-2-one.
- 4-(4,4-difluoro-3-oxo-4-phenylbutyl)-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-thiazolidin-2-one,
- 4-(3-oxo-4-phenylbutyl)-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-thiazolidin-2-one,
- 4-[2-(2,2-difluoro-1-hydroxy-2-phenylethyl)cyclopropyl]-3-[6-(1*H*-tetraazol-5-yl)hexyl]-1,3-thiazolidin-2 one,
- 4-[2-(1-hydroxy-2-phenylethyl)cyclopropyl]-3-[6-(1*H*-tetranzol-5-yl)hexyl]-1,3-thiazolidin 2-ene-
- 4-[2-(1-hydroxy-2-phenylethyl)cyclopropyl] 3-[6-(1H-tetrazol-5-yl)hexyl]-1,3-thiazolidin 2-one.
- 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-(7-hydroxy-6-oxoheptyl)-1,3-thiazolidin-2-one.
- 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(2E)-6-(1H-tetraazol-5-yl)hex-2-enyl]-1.3-thiazolidin-2-one.
- 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(3E)-6-(1H-tetraazol-5-yl)hex-3-enyl]-1,3-thiazolidin-2-one,
- 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(4E)-6-(1H-tetraazol-5-yl)hex-4-enyl]-1,3-thiazolidin-2-one.
- 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(2Z)-6-(1H-tetraazol-5-yl)hex-2-enyl]-1,3-thiazolidin-2-one,

Page 7

```
4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(3Z)-6-(1H-tetraazol-5-yl)hex-3-enyl]-
1,3-thiazolidin-2-one,
4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(4Z)-6-(1H-tetraazol-5-yl)hex-4-enyl]-
1.3-thiazolidin-2-one,
4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,3-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazol-5-yl)hex-4-ynyl]-1,4-[6-(1H-tetraazo
thiazolidin-2-one,
4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[6-(1H-tetraazol-5-yl)hex-2-ynyl]-1,3-
thiazolidin-2-one.
4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[6-(1H-tetraazol-5-yl)hex-3-ynyl]-1,3-
thiazolidin-2-one.
5-(3-(4-f(1E) 4,4 difluoro 3 hydroxy 4 phenylbut 1-enyl] 2-oxo-1,3-thiazolidin 3-
yl) propyl)thiophene-2-carboxylic acid,
5 (3 (4 [(1E) 4,4 diffuoro 3 hydroxy-4 phenylbut-1 enyl] 2 oxo 1,3 thiazolidin 3 yl)propyl) 2
furoic acid,
4 [(1E) 4,4 difluoro 3 hydroxy 4 phenylbut 1 envl] 3 {3 [5 (1H totraazol 5 yl) 2
furyllpropyl]-1,3-thiazolidin-2-one,
4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[3-[5-(1H-tetraazol-5-yl)thien-2-
yl]propyl) 1,3 thiazolidin 2 one,
4 [(1E) 4.4 difluoro 3 hydroxy 4-phenylbut 1-enyl] 3 [(2E) 3 [5 (1H tetrazol 5 yl)thicn 2-
yllprop 2 enyl) 1,3 thiazolidin 2 one,
4-[(1E) 4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-{(2E)-3-[5-(1H-tetraazol 5 yl) 2-
furyllprop 2-enyll 1,3-thiazolidin 2-one,
4 ((1E) 4,4 difluoro 3 hydroxy 4 phenylbut-1-enyl]-3-{(2Z)-3-[5-(1H-tetranzol 5 yl)thien 2
vllprop 2 envll 1.3 thiazolidin 2 one.
4-\(\frac{1E}{2}\) 4,4-\(\diffu\) diffu\(\text{oro-3-hydroxy-4-phenylbut-1-enyl}\) -3-\(\left\) -3-\(\left\) -3-\(\left\) -1-\(\text{tetranzol-5-yl}\) 2-\(\text{yl-3-15-(1H-tetranzol-5-yl}\) -2-\(\text{vl-1E}\) -3-\(\text{vl-1E}\) -3-\(\text{vl-1
furyllprop 2 enyll 1,3 thiazolidin 2 one,
3-(3-[4-[(1E) 4,4 difluoro 3 hydroxy 4 phenylbut 1 enyl] 2 oxo 1,3 thiazolidin-3-
yl)propyl)benzoic acid.
4 (3-[4-[(1E)-4,4-difluoro 3 hydroxy 4 phenylbut 1 enyl] 2 oxo 1,3 thiazolidin-3-
yl}propyl)benzoic-acid,
2 (3-[4-[(1E) 4,4-difluoro-3-hydrexy-4-phenylbut 1-enyl] 2-exo-1,3-thiazolidin-3-
yl}propyl)benzoic-acid.
4-[(1E)-4,4 difluoro-3 hydroxy-4-phenylbut-1 enyl]-3-[3-[3-[1H tetraazol-5-yl)phenyl]propyl}-
1.3 thiazolidin-2-one.
4-<del>[(1E) 4,4 difluoro 3 hydroxy 4 phenylbut 1 cnyl] 3 [3-[2-(1H-tetraazol-5-yl)phenyl]propyl}</del>
1,3-thiazolidin-2-one,
4 = (1E) 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4.4 = 4
1,3 thiozolidin 2 one,
4-[(1E)-4,4-difluoro-3 hydroxy-4 phenylbut 1-enyl]-3-[2-[3-(1H-tetraazol-5-
ylmethyl)phenyl]ethyl}-1,3 thiazolidin-2 one;
4-[(1E) 4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[2-[4-(1H-tetraazol-5-
ylmethyl)phenyl]ethyl] 1,3 thiazolidin 2 one,
4-[(1E)-4,4-diffuoro-3-hydroxy-4-phenylbut-1-enyl]-3-{2-[2-(1H-tetranzol-5-
ylmethyl)phenyl]ethyl] 1,3 thiazolidin-2-one,
7-\{4-\lceil(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-thiazolidin-3-yl\}-2,2-
difluoroheptanoic acid.
7-{4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-thiazolidin-3-yl}-4,4-
difluoroheptanoic acid,
```

Page 8

- $7-\{4-[(1E)-4,4-diffuoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-thiazolidin-3-yl\}-5,5-difluoroheptanoic acid,$
- 7-{4-[(1*E*)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-thiazolidin-3-yl}-6,6-difluoroheptanoic acid,
- 4-(2-{4-[(1E)-4,4-diffuoro-3-hydroxy-4-phenylbut 1-enyl] 2-exe-1,3 thiazolidin-3-yl}ethoxy)butanoic acid;
- 3-(3-(4-[(1E) 4,4 diffuero 3 hydroxy 4 phenylbut 1 enyl] 2 oxo 1,3 thiazolidin 3-vl) propoxy) propanoic acid.
- (4-{4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut 1 enyl]-2 exe-1,3 thiazolidin-3-yl} butoxy)acetic acid,
- [(4-{4-[(1E) 4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-thiazolidin-3-yl}-butyl)thio|acetic-acid,
- 3-[(3-{4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-thiazolidin-3-yl]-propyl)thio]propanoic acid,
- 4-[(2-{4-[(1E) 4,4-diffuoro 3-hydroxy-4-phenylbut 1-enyl] 2-exo-1,3-thiazolidin-3-yl}ethyl)thio]butanoic acid;
- 7-{4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-oxazolidin-3-yl}heptanoic acid.
- 7- $\{4-[(1E)-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-oxazolidin-3-yl\}$ heptanoic acid, 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[6-<math>(1H-tetraazol-5-yl)hexyl]-1,3-
- 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[6-(1H-tetraazol-5-yl)nexyl]-1,3-oxazolidin-2-one,
- 4-(3-hydroxy-4-phenylbutyl)-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-oxazolidin-2-one,
- 4-(4,4-difluoro-3-hydroxy-4-phenylbutyl)-3-[6-(1H-tetranzol-5-yl)hexyl]-1,3-oxazolidin-2-one,
- 7-(4-{(1E)-4,4-difluoro-3-hydroxy-4-[3-(methoxymethyl)phenyl]but-1-enyl}-2-oxo-1,3-oxazolidin-3-vl)heptanoic acid.
- $4-\{(1E)-4,4-difluoro-3-hydroxy-4-[3-(methoxymethyl)phenyl]$ but-1-enyl $\}$ -3-[6-(1H-tetrazzol-5-yl)hexyl]-1,3-oxazolidin-2-one,
- 4-[(1E)-4-cyclohexyl-4,4-difluoro-3-hydroxybut-1-enyl]-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-oxazolidin-2-one,
- 4-[(1E)-4-cyclohexyl-3-hydroxybut-1-enyl]-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-oxazolidin-2-one,
- $4-(4,4-\text{difluoro-3-oxo-4-phenylbutyl})-3-[6-(1\textit{H-tetraazol-5-yl}) \\ \text{hexyl}]-1,3-\text{oxazolidin-2-one,}$
- 4-(3-oxo-4-phenylbutyl)-3-[6-(1H-tetraazol-5-yl)hexyl]-1,3-oxazolidin-2-one,
- 4 [2 (2,2 difluoro 1 hydroxy 2 phenylethyl)cyclopropyl] 3 [6 (1H tetrazzol 5-yl)hexyl] 1,3-oxazolidin-2-one,
- 4-[2 (1 hydroxy 2 phonylethyl)cyclopropyl] 3-[6 (1H tetrazzol-5-yl)hexyl]-1,3-oxazolidin-2-one-
- 4-[2 (1 hydroxy 2 phenylethyl)eyelopropyl] 3-[6 (1H tetranzel 5 yl)hexyl]-1,3-exazelidin 2-ene.
- 4-[(1E)-4,4-diffuoro-3-hydroxy-4-phenylbut-1-enyl]-3-(7-hydroxy-6-oxoheptyl)-1,3-oxazolidin-2-one.
- 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(2E)-6-(1H-tetraazol-5-yl)hex-2-enyl]-1.3-oxazolidin-2-one.
- 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(3E)-6-(1H-tetraazol-5-yl)hex-3-enyl]-1,3-oxazolidin-2-one.

```
Page 9
```

4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(4E)-6-(1H-tetraazol-5-yl)hex-4-enyl]-1,3-oxazolidin-2-one, 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(2Z)-6-(1H-tetraazol-5-yl)hex-2-enyl]-1.3-oxazolidin-2-one. 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(3Z)-6-(1H-tetraazol-5-yl)hex-3-enyl]-1,3-oxazolidin-2-one, 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[(4Z)-6-(1H-tetraazol-5-yl)hex-4-enyl]-1.3-oxazolidin-2-one. 4-[(1*E*)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[6-(1*H*-tetraazol-5-yl)hex-4-ynyl]-1,3oxazolidin-2-one, 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[6-(1H-tetraazol-5-yl)hex-2-ynyl]-1,3oxazolidin-2-one, 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[6-(1H-tetraazol-5-yl)hex-3-ynyl]-1,3oxazolidin-2-one, 5 (3 [4-[(1E) 4,4-difluoro-3 hydroxy-4 phenylbut-1-enyl]-2-oxo-1,3 oxazolidin-3vllpropyl)thiophene-2-carboxylic acid. 5 (3 {4 [(1E) 4,4 diffuoro 3 hydroxy 4 phenylbut 1 enyl] 2 oxo 1,3 oxazolidin-3 yl}propyl) 2 furoic acid. 4 [(1E) 4,4 difluoro 3 hydroxy 4 phenylbut 1 enyl] 3 [3 [5 (1H tetraszol 5-yl)-2furvllpropyl) -1.3-oxazolidin-2-one. 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-{3-[5-(1H-tetranzol-5-yl)thien 2ylpropyl} 1,3 oxazolidin 2 one, 4-[(1E) 4,4-difluoro-3 hydroxy-4 phenylbut 1 enyl] 3 ((2E) 3 [5 (1H tetrazol-5-yl)thien-2yl]prop-2-enyl}-1,3-oxazolidin-2-one. 4 \(\bar{\(\left(1E)\)}\) 4.4 \(\delta\) diffuoro 3 \(\hat{hydroxy}\) 4 \(\delta\) but 1 \(\text{enyl}\) 3 \(\left(2E)\) 3 \(\left(2E)\) 3 \(\left(3H\)\) tetraazol 5 \(\delta\)!) 2 furyl]prop 2 enyl] 1,3 exazelidin 2 ene, 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-{(2Z)-3-[5-(1/1 tetranzol-5-yl)thien-2vllprop 2 enyl) 1,3 exagolidin 2 one; 4-[(1E)-4,4-difluoro-3 hydroxy 4 phenylbut 1-enyl] 3- ((2Z) 3-[5-(1H tetraazol-5-yl)-2furyl]prop 2 enyl} 1,3 exazolidin-2-ene, 3 (3 (4 ((1E) 4,4 diffuoro 3 hydroxy 4 phenylbut 1 enyl] 2 oxo 1,3 oxazolidin 3yl}propyl)benzoic acid 4-(3-[4-[(1E)-4,4-difluoro-3-hydroxy-4 phenylbut 1 enyl]-2-exe-1,3 exazelidin-3vl-propyl)benzoic-acid; 2 (3 (4 ((1E) 4,4 diffuero 3 hydroxy 4 phenylbut 1 enyl] 2 oxo-1,3-oxazolidin 3yl) propyl)benzoie acid, 4 \(\frac{(1E)}{4.4 \text{ diffuore 3 hydroxy 4 phenylbut 1 enyl\} 3 \(\frac{3}{3}\) \(\frac{1H}{4 \text{ tetrazol-5-yl\)phenyl\propyl\} 1,3-oxazolidin-2-one, 4 \(\((1E)\) 4.4 \(\diffuor\) diffuor\(0.3\) hydroxy 4 phenylbut 1 enyl\) 3 \(\{3\) \(\left(2\) \((1H\)\) tetranzol\(5\) y\)phenyl\]propy\\ 1,3-oxazolidin-2-one, 4-[(1E) 4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-[3-[4-(1H-tetraazol-5-yl)phenyl]propyl}-1.3 oxazolidin 2 one. 4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-3-{2-[3-(1H-tetranzol-5vlmethyl)phenyllethyl) 1,3 oxazolidin 2 one, 4 ((1E) 4.4 diffuoro 3 hydroxy 4 phonylbut 1 enyl] 3 (2 [4 (1H tetranzol-5vlmethyl)phonyllothyl) 1,3 exazolidin 2 ene, 4-[(1E)-4,4-difluoro-3-hydroxy-4 phenylbut-1 enyl]-3-{2-[2-(1H-tetranzol-5ylmethyl)phenyllethyl) 1,3 oxazolidin-2-one,

Page 10

- 7- $\{4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-oxazolidin-3-yl\}-2,2-difluoroheptanoic acid, 7-<math>\{4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-oxazolidin-3-yl\}-4,4-difluoroheptanoic acid, 7-<math>\{4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-oxazolidin-3-yl\}-5,5-difluoroheptanoic acid,$
- 7-{4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-oxazolidin-3-yl}-6,6-difluoroheptanoic acid,
- 4-(2-{4-[(1E)-4,4-diffuoro-3-hydroxy-4-phenylbut 1 enyl} 2 oxo 1,3-oxazolidin-3-yl}ethoxy)butanoic acid,
- 3-(3-(4-[(1E)-4,4-difluoro-3-hydroxy-4-phenylbut-1-enyl]-2-oxo-1,3-oxazolidin-3-yl] propoxy) propanoie acid;
- (4-{4-{(1½)-4,4 diffuoro 3 hydroxy 4 phenylbut 1 enyl] 2 ozo 1,3 ozazolidin 3-yl} butoxy)acetic acid,
- [(4-{4-[(1E)-4,4-difluoro-3-hydroxy 4-phenylbut-1-enyl]-2-oxo-1,3-oxazolidin-3-vl}-butvl)thiolacetic-acid.
- 3 [(3 (4 [(1E) 4,4 diffuore 3 hydroxy 4 phonylbut 1 enyl] 2 exe 1,3 exazelidin 3-yl} propyl)thio|propanoic acid,
- 4 [(2-{4-[(1E) 4,4-diffuore 3-hydroxy 4-phenylbut 1-enyl] 2-oxe-1,3-exazelidin 3-yl}ethyl)thio]butanoic acid,

or a pharmaceutically acceptable salt thereof.

- 7. Cancel.
- 8. Cancel.
- Cancel.
- 10. Cancel.
- 11. Cancel.
- 12 (New Claim). A pharmaceutical composition which is comprised of a compound in accordance with Claim 1 and a pharmaceutically acceptable carrier.